



Features

- Low initial pressure drop
- Electrostatic Charged Media
- Dual Stage Filtration to enhance depth loading
- Superior Dust Holding Capacity
- Available in standard and custom sizes

Ideal for:

- Hospitals
- Schools
- Office Complexes
- Food and Pharmaceutical processing
- Data Centers
- Computer Rooms
- Airports
- Paint Booths

Performance Data

| | |
|-----------------------|--------------------------|
| Rating | MERV 13 @ 1968CFM |
| Dust Holding Capacity | 317 grams |
| Initial Resistance | .48 in w.g |
| Final Resistance | 1.50 in w.g. |

Construction

- Ultrasonically Sealed, stitched Pockets
- Double lock stitched pockets
- Aerodynamic internal channels
- Galvanized header

Part Number Guide

| Prefix | Efficiency | Filter Size W x H x D | Pockets | Gasket | Hanger | Header |
|-------------------|----------------|--------------------------|---------|-------------------------|--------------------|---|
| AS = AS Series | MERV 13 94% | | 3P | Blank - None | Blank-none | Blank-Standard 7/8" |
| | | | 4P | | | |
| | | | 5P | R = Rear Load | 1-Loops, 2 corners | CB- 1-1/8" |
| | | | 6P | F = Front Load | 2-Middle of Pocket | |
| | | | 7P | S=One Vertical Side | | <i>Example: AS1324242208F= AS Series Bag MERV 13 Efficient 24x24x22 8 pockets Gasket on air exit side of header</i> |
| | | | 8P | BS= Both Vertical Sides | | |
| | | | 9P | | | |
| 10P | P=Perimeter | | | | | |
| 11P | | | | | | |
| 12P | | | | | | |